

Purpose

What is the purpose of this experiment?

Hypothesis:

State your hypothesis regarding the thermal stability of the clay mineral vermiculite. Be sure to mention how you expect the KCl-saturated vermiculite to differ from the untreated vermiculite.

Materials:

- 2 aluminum pans
- candles
- drying oven
- pot holder
- flake vermiculite
- saturated KCl (table salt substitute) solution
- two 250 mL beakers (or oven-safe containers)

Procedure:

1. Label beakers A and B.
2. Fill beaker A about half way with water. Make a saturated solution of KCl by pouring the KCl into the water and stirring to dissolve it. Continue adding the KCl and stirring until solid that will not dissolve remains at the bottom of the beaker.
3. Make some potassium saturated vermiculite by placing a small amount of the flake vermiculite in beaker A with the saturated KCl solution. Place the same amount of vermiculite in the empty beaker. By soaking the vermiculite in the KCl solution, you are allowing potassium cations to replace the naturally occurring magnesium cations in the interlayer of the mineral's structure.
4. Allow the vermiculite to soak in the KCl solution for at least 48 hours. Then pour off the liquid and spread the vermiculite in both beakers on separate cookie sheets and dry it in an oven set at 110 °C (approximately 225 °F). This will take 2 - 3 hours. Stir the drying vermiculite occasionally.

5. Using the oven-dried samples of Mg^{2+} -saturated and the K^{+} -saturated vermiculite, place a few flakes of each in separate aluminum pans.
6. Light the candle. Using the pot holder to protect your hands place the clay-containing pans over the hottest part of the flame. Observe and record the changes in the clay.

Observations:

Describe the K^{+} -saturated vermiculite.

Before drying:

After drying:

During and/or after exposure to heat:

Describe the Mg^{2+} -saturated vermiculite (untreated).

Before drying:

After drying:

During and/or after exposure to heat:

Conclusion:

1. Do the two types of clay behave differently? If so, how are they different and how can that explain their different behaviors?

2. What is the source of the heat that must be considered when planning and designing the repository?

3. Why is it necessary to consider thermal stability of potential repository minerals?
